MOBILE KITCHEN SOLUTIONS

FOR RV AND MARINE APPLICATIONS

Dometic GROUP



INSPIRED BY COMFORT

www.dometic.co.nz

INTRODUCING THE NEW RANGE OF DOMETIC RV AND MARINE COOKERS.

Features and benefits include:

- 12 volt ignition on all gas burners - for easy operation*
- Flame failure safety device on all gas burners
- 3+1 Gas/Electric hobs for greater versatility and economy when plugged into 230 volts*
- Glass lids to extend the bench tops and provide splash-back protection
- Fixed gas burners to eliminate rattling while travelling
- Safety cut-out on hob glass lids for gas and 230v use*
- Oven includes turn-table function and thermostat control for even cooking*
- Oven interior light*
- Marine oven includes pot holders as standard with gimbals optional

The Dometic 3 Burner Hob and Oven/Grill for Marine Use

The Dometic 3+1 Gas/Electric Hob, Grill and Oven

* Not all features included on all appliances

ADD TO THE STYLE AND ELEGANCE OF YOUR GALLEY

WITH ONE OF OUR DOMETIC COOKERS.

AGA approved gas cookers in a design to fit your needs, with glass lids to extend the bench top when not needed.
Gas safety valves fitted to all burners for extra safety, along with fixed burners to eliminate rattle when on the road.

DOMETIC 3 + 1 hob, + grill

3 gas burner + 1 electric | Electric hot plate 800 watts | 12 volt ignition on all gas burners
Gas safety valves fitted to all burners.

Gas consumption	20.8 MJ/hr - total all burners
Number of burners	3 x gas, 1 x electric, 1 x grill
Colour of case	Black hob with silver handle & knobs
Quality features	Black enamel cook top 3 gas burners with one 800 watt electric element. Glass lid and glass doors for the grill box. Black enamel pan support, silver control face and handle. Burners are aluminium and brass with black enamel tops. The glass lid has a safety feature that turns the burners and electric element off as the lid is closed. The grill box comes complete with grill tray and wire rack.
Dimensions	**W**514 x **H**292 x **D**535 mm
Weight	12.2 kg
Test mark	AGA

Product	Ref. No.
CU 402PE Dometic 3 + 1 hob, + grill	9102302647

Gas and electric 240 volts

12 volt ignition on all burners

One electric hot plate 800 watts

Gas safety valve on all burners

Glass lid fitted with safety shut off for all top burners.

DOMETIC 3 + 1 hob, grill + oven

3 gas burner + 1 electric | Oven with turn-table | Electric hot plate 800 watts | 12 volt ignition on all gas burners
Gas safety valves fitted to all burners.

Gas consumption	24.6MJ/hr - total all burners
Number of burners	3 x gas, 1 x electric, 1 x grill, 1 x oven burner
Colour of case	Black hob with silver handles & knobs
Quality features	Black enamel cook top 3 gas burners with one 800 watt electric element. Glass lid and glass doors for the grill box. Black enamel pan support, silver control face and handle. Burners are aluminium and brass with black enamel tops. The glass lid has a safety feature that turns the burners and electric element off as the lid is closed. The oven comes complete with oven/grill, 2 x wire racks, rotatable turn-table and interior light
Dimensions	**W**514 x **H**592 x **D**535 mm
Weight	23.8 kg
Test mark	AGA

Product	Ref. No.
CU 401PE Dometic 3 + 1 hob, grill + oven	9102302646

Gas and electric 240 volts

12 volt ignition on all burners

One electric hot plate 800 watts

Gas safety valve on all burners

Glass lid fitted with safety shut off for all top burners.

DOMETIC 3 burner + oven/grill – R.V. use

3 gas burner + oven/grill | for Caravans and Motohomes | Gas 12 volt ignition on all burners
Gas safety valves fitted to all burners.

Gas consumption	20.8 MJ/hr - total all burners
Number of burners	3 x gas, 1 x oven/grill/burner
Colour of case	Stainless hob with silver control face glass door and handle
Quality features	Stainless cook top 3 gas burners. Burners are aluminium and brass with black enamel tops. Aluminium oven tray and wire rack
Dimensions	**W**522 x **H**428 x **D**503 mm
Weight	21.8 kg
Test mark	AGA

Product	Ref. No.
CU 335 Dometic 3 hobs plus grill/oven	9102302623

12 volt ignition on all burners

Gas safety valve on all burners

DOMETIC 3 burner + oven/grill – Marine use

3 gas burner + oven/grill, pot holders | Gas 12 volt ignition on all burners
Gas safety valves fitted to all burners.

Gas consumption	20.8 MJ/hr - total all burners
Number of burners	3 x gas, 1 x oven/grill burner
Colour of case	Stainless hob with silver control face glass door and handle
Quality features	Stainless cook top 3 gas burners. Burners and tops are stainless. Gimbals are optional. Stainless oven tray and wire rack

Pot holders included



Dimensions	**W**525 x **H**505 x **D**574 mm
Weight	22.4 kg
Test mark	AGA

Product	Ref. No.
CU 335M Dometic 3 hobs + grill/oven	9102302622
Gimbals set optional	9102302161

12 volt ignition on all burners

Gas safety valve on all burners

DOMETIC 2 burner

2 burner hob with glass lid Piezo ignition system Gas safety valves fitted to all burners.

OPTIMAL PROTECTION FOR THE HOB

Power rating	3.2 kW
Gas consumption	233 g/h
Number of burners	2
Dimensions	**W**460 x **H**90 x **D**335 mm
Built-in dimensions	**W**440 x **D**315 mm
Weight	3.3 kg
Test mark	AGA

Quality features
Integrated heat-resistant safety glass lid, detachable chromed pan supports, stainless steel burner caps, safety ignition system, recessed controls, low profile bench top rubber seal.

Product	Ref. No.
Dometic	9103301031

DOMETIC 3 burner

3 burner hob with glass lid | Gas 12 volt ignition on all burners | Gas safety valves fitted to all burners.

Ignition system	12 volts
Power rating	4.8 kW
Gas consumption	350 g/h
Number of burners	3
Dimensions	**W**520 x **H**80 x **D**445 mm
Built-in dimensions	**W**510 x **D**435 mm
Weight	5.1 kg
Test mark	AGA

Quality features
Integrated heat-resistant safety glass lid, detachable chromed pan supports, stainless steel burner caps, safety ignition system, recessed controls, low profile bench top rubber seal.

Product	Ref. No.
Dometic	9103301080

DOMETIC 2-burner combi unit

2 burner hob/sink combination | Manual Gas ignition | Gas safety valves fitted to all burners.

Ignition system	manual
Power rating	1.6 kW per burner
Gas consumption	233 g/h
Number of burners	2
Dimensions	**W**480 x **H**110 x **D**460 mm
Built-in dimensions	**W**820 x **D**392 mm
Weight	
Test mark	CE
Waste outlet hole	33mm

Product	Ref. No.
Dometic	9103300452

Gas

Safety ignition system

Integrated heat resistant safety glass lid

Detachable pan supports – easy to clean

Stainless steel burner caps

DOMETIC

2-burner hob/sink combination with glass lid

Underneath the break-proof glass lid this creative and functional SMEV combination unit accommodate a double-burner hob and the sink to match – all in the smallest possible space.Integrated heat resistant safety glass lid

TAP INCLUDED

Quality features	Detachable chromed pot grids Enamelled burner caps Recessed controls Electronic 12-volt ignition Safety ignition system Includes fold-down tap Rubber seal
Dimensions	**W**680 x **H**142 x **D**440 mm
Built in dimensions	**W**590 x **D**435 mm
Weight	5.1 kg
Waste outlet hole	36mm (not supplied)
Tap hole	39mm

Product	Ref. No.
MO 8322 Dometic (tap included)	9103301724
Smev Mixer T/S Smev	910230077

DOMETIC 3-burner combi unit

3 burner hob/sink combination with glass lids | 12 volt ignition on all gas burners | Gas safety valves fitted to all burners.



TAP NOT INCLUDED

Ignition system	12 volts
Power rating	4.8 kW
Gas consumption	350 g/h
Number of burners	3
Dimensions	**W**968 x **H**430 x **D**140 mm
Built-in dimensions	**W**820 x **D**392 mm
Weight	7.2 kg
Test mark	AGA
Waste outlet hole	40mm (not supplied)
Tap hole	33mm

Product	Ref. No.
MO 8123 Dometic (No tap)	9102302621
Uses Dometic 360° swivel Basin mixer – brass (33mm hole)	NL770

DOMETIC Stainless Steel sink/drainer combination

Quality features	Stainless steel sink and drainer combination Includes rubber edging for a neat finish Comes standard with elbow waste outlet & plug Waste outlet has a 25mm diameter hosetail Great for in motorhomes, caravans or boats
Dimensions	**L** 590 x **W**370 x **H**125 mm
Built in dimensions	**L**330 x **W**330 x **H**120mm
Weight	5.1 kg
Waste outlet hole	36mm (supplied)

TAP NOT INCLUDED

Product	Ref. No.
Dometic Sink/Drainer	9102300054
Uses Dometic 360° Swivel Basin mixer (33mm hole)	NL 770

DOMETIC Stainless Steel sink/drainer combination

Quality features	Low profile bench top rubber seal
Dimensions	**W**650 x **H**115 x **D**400 mm
Built in dimensions	**W**530 x **D**380 mm
Weight	2.6 kg
Waste outlet hole	36mm, supplied

TAP NOT INCLUDED

Product	Ref. No.
Dometic sink/drainer Uses Dometic 360° swivel basin mixer (33mm hole)	9103300474 NL 770

DOMETIC Stainless Steel Square sink with glass lid

Quality features	Sturdy stainless steel sink with integrated lid of heat resistant safety glass. Comes standard with brass fold-down tap, rubber seal and waste outlet with plug.
Dimensions	**L** 420 x **W**440 x **H**145 mm
Built in dimensions	**TBA**
Weight	3.4 kg
Waste outlet hole	TBA

TAP INCLUDED

Product	Ref. No.
Smev VA8006 square sink with glass lid Smev Mixer T/S Smev	9102300028 910230077

DOMETIC sink/drainer combination with glass lid

Quality features	Integrated heat resistant safety glass lid, integrated waste tray, tap fitting inside, low profile bench top rubber seal supplied with hole for top [Ø 39 mm]
Dimensions	**W**600 x **H**136 x **D**445 mm
Built in dimensions	**W**590 x **D**435 mm
Weight	5.1 kg
Waste outlet hole	36mm (not supplied)
Tap hole	39mm

TAP NOT INCLUDED

Product	Ref. No.
Dometic CRAMER 1058007 (No tap)	9103300472
Uses Dometic fold down mixer – brass (39mm hole)	NM728

DOMETIC waste bin with glass lid

Quality features	Integrated heat resistant safety glass lid, removable bin, 2 litre capacity, low profile bench top rubber seal
Dimensions	**W**185 x **H**220 x **D**200 mm
Built in dimensions	**W**172 x **D**182 mm
Weight	0.8 kg

Product	Ref. No.
Dometic CRAMER 1072008	1072008

MOBILE ALCOHOL STOVES

If you would rather cook using alcohol than with gas, the Dometic ORIGO range has something for you. Dometic ORIGO alcohol stoves are ideal for those really tight on-board kitchens or for picnics in the open. One or two burners, super compact design and easy to stow away again after meals. Tried and tested, safe and high performance technology. Stainless steel, high quality finish and easy to clean.

DOMETIC ORIGO 1500

Single burner free standing alcohol stove

The efficient single burner freestanding spirit stove for confined spaces. Portable, compact, and built to last. Ideal for motor homes caravans camping and boats.

Burning time	approx 6 to 8 hours
Number of burners	1
Burner capacity	2000 watts
Boiling time	10 minutes for 1 litre of water
Tank capacity	1.2 litres
Dimensions	**W**236 x **H**137 x **D**262 mm
Weight	3.25 kg

Product	Ref. No.
Dometic ORIGO 1500	9103303880

Easy access to the alcohol-fuel container – simple and safe to fill

Comprehensive accessories which can be ordered separately

DOMETIC ORIGO 3000

Double burner freestanding alcohol stove.

The classic two burner freestanding stove suitable for all types of applications including marine. Rugged and reliable.

Burning time	approx. 6 to 8 hours
Number of burners	2
Burner capacity	2000 watts per burner
Boiling time	10 minutes for 1 litre of water
Tank capacity	1.2 litres per canister
Dimensions	**W**464 x **H**137 x **D**262 mm
Weight	6.5 kg

Product	Ref. No.
Dometic ORIGO 3000	9103303882

DOMETIC ORIGO 4100

Built in double burner alcohol stove top.

Handsome two burner built in stove top. Suitable for all types of applications including marine. Glass lid included.

Burning time	approx. 6 to 8 hours
Number of burners	2
Burner capacity	2000 watts per burner
Boiling time	10 minutes for 1 litre of water
Tank capacity	1.2 litres per canister
Dimensions	**W**623 x **H**150 x **D**377 mm
Weight	7.5 kg

Product	Ref. No.
Dometic ORIGO 4100 GL	9103303894

DOMETIC ORIGO accessories



OH4001

Product	Ref. No.
Dometic ORIGO 3001 Pot Holder (to suit OH1500, OH3000, OH6000)	9103303980
Dometic ORIGO 3002 Gimbal (to suit OH1500, OH3000)	9103303983
Dometic ORIGO 4001 Pot Holder (to suit OH2000, OH4100)	9103303981

DOMETIC ORIGO 5100

Heat Pal - The cooking all rounder.

This all rounder is not only an effective source of heat but also an excellent stove for cooking. Great for the caravan, boat or camping.

Burning time	approx 6 to 8 hours
Number of burners	1
Burner capacity	1500 watts
Boiling time	10 minutes for 1 litre of water
Tank capacity	1.2 litres
Dimensions	**Ø**280 x **H**290 mm
Weight	3 kg

Product	Ref. No.
Dometic ORIGO 5100	9103303920

Compact design – easy to stow away

Ideal for indoor and outdoor use

High cooking power on burners

Easy access to the alcohol-fuel container – simple and safe to fill

Comprehensive accessories which can be ordered separately

Compact design – easy to stow away

Ideal for indoor and outdoor use

High cooking power on all burners

Easy access to the alcohol-fuel container – simple and safe to fill

Comprehensive accessories which can be ordered separately

INTELLIGENT DESIGN FOR TOP PERFORMANCE

Recirculating rangehoods in the Dometic CK series quickly draw cooking fumes, odours and moist air out of the cabin. The compact fan, which is equipped with a 12 volt motor, is integrated into the roof dome and not into the unit itself. Both the CK 150 & CK 155 are suitable for both conventional and pop top caravans.

DOMETIC CK 150

Flush mounted rangehood with 1-speed fan.

Voltage	12 volts DC
Capacity	115 m³/h
Power input	30 watts
Quality features	1-speed fan, washable metal grease filter, lighting with halogen lamps [1 x 20 watts/ 12 volts, GU5.3], robust plastic roof dome
Dimensions	**W**400 x **H**75 x **D**165 mm
Cupboard recess	**W**381 x **D**142 mm
Roof opening	**Ø**105 mm
Roof dome dimensions	**H**64 x **Ø**200 mm
Weight	1.9 kg
Test marks	CE, e5

Product	Ref. No.
Dometic CK 150	**CK150**

Washable metal filter

Robust plastic roof dome

Recessed model

Suitable for conventional & pop top caravans

Flush mounted

DOMETIC CK 155

Surface mounted rangehood with 2-speed fan.

Voltage	12 volts DC
Capacity	70/125 m³/h
Power input	30 watts
Quality features	2-speed fan, washable metal grease filter, lighting with halogen lamps [2 x 10 watts/ 12 volts, GU4], robust plastic roof dome
Dimensions	**W**405 x **H**69 x **D**280 mm
Roof opening	**Ø**105 mm
Roof dome dimensions	**H**64 x **Ø**200 mm
Weight	3 kg
Test marks	CE, e5

Product	Ref. No.
Dometic CK 155	**CK155**

Washable metal grease filter

2-speed fan

Two integrated halogen lights

Robust plastic roof dome

DOMETIC GY 11

Roof ventilation with motor | Exchanges air even when fan is not switched on.

Voltage	12 volts DC
Capacity	65/105 m³/h
Power input	30 watts
Quality features	GY 11: 2-speed fan, powerful ventilation even when the motor is turned off [3 to 12 m³/h at wind speed of 1 to 4 m/s]
Roof opening	**Ø**100 mm
Roof dome dimensions	**H**64 x **Ø**200 mm
Weight	0.6 kg

Product	Ref. No.
Dometic GY 11	**GY11**

High performance

Robust plastic roof dome

RELAXED BREAKS IN A KITCHEN OF YOUR OWN

Something hot is what you need: this handy kettle, especially designed for operation in vehicles, provides you with a pot of tea, a cup of coffee or a mug of soup in no time at all. This robust gadget suits 12 volt operation. The automatic cut-off function stops it from overheating when empty and ensures safe and comfortable handling. An indispensable helper on board!

COMFORT WHERE AND WHEN YOU NEED IT!

WAECO PerfectKitchen MCK750

Car kettle for 12 volts

Quality features
Robust relay technology, switches off automatically when the boiling temperature has been reached or when there's no water in the kettle, status indication

Capacity approx.	0.75 litres
Voltage	12 volts DC
Average power consumption	12 volts: 200 watts
Colour	Black/silver
Dimensions	**W**190 x **H**205 x **D**125 mm (incl. fixing k
Weight	0.8 kg
Test marks	e-approved (Automotive EMC Directive), complies with German Foodstuff and Consumer Goods Act (LMBG)
Scope of delivery	Fixing kit for wall or desk mounting

Product	Ref. No.
PerfectKitchen MCK750, 12 volts	MCK-750-12/N

Tailor made for mobile use

Robust relay technology

Wall or desk mounting

SOPHISTICATED WINE CHAMBER FOR 6 BOTTLES

Be the perfect host. The stylish MyFridge MF-6W wine chamber will bring your wine to the perfect drinking temperature. Equipped with an easy to read temperature display, the desired temperature (between 5 °C and 20 °C) is simply preset and then reliably maintained.

WAECO MyFridge MF-6W

6-bottle wine chamber

Temperature variable from 5°C to 20°C

12 volts DC or 240 volts AC

Gross capacity	6 bottles
Power source	12 volts DC / 240 volts AC
Weight	approx. 6.5 kg
Dimensions	**W**260 x **H**415 x **D**470 mm
Cooling control	Digital selection from 5 °C to 20 °C

Product	Ref. No.
MyFridge MF-6W	MF-6W

1 year warranty on everything

Dometic GROUP

Dometic Group is a customer-driven, world-leading provider of leisure products for the RV, automotive, truck and marine markets. We supply the industry and aftermarket with a complete range of air conditioners, refrigerators, awnings, cookers, sanitation systems, lighting, mobile power equipment, comfort and safety solutions, windows, doors and other equipment that make life more comfortable away from home.

Dometic Group supplies a wide range of workshop equipment for service and maintenance of built-in air conditioners. Dometic Group also provides specially designed refrigerators for hotel rooms, offices, wine storage and transport and storage of medical products. Our products are sold in almost 100 countries and are produced mainly in wholly-owned production facilities around the world.

Dometic New Zealand Limited

Unit E, The Gate, 373 Neilson Street
Penrose Auckland 1061
Phone: +64 (0)9 622 1490 Fax: +64 (0)9 622 1573
Email: customerservices@dometic.co.nz
Web: www.dometic.co.nz

Your Retailer:

E & OE
Please Note: printing processes may not depict colour accurately. Dometic may introduce modifications to their products from time to time and consequently the details given in this leaflet are subject to alterations without notice.

Printed Feb 2015

Dometic

WAECO by Dometic GROUP